

# A Modified Switched Capacitor Multilevel Inverter with Symmetric and Asymmetric Extendable Configurations

F. Sedaghati<sup>1,2,\*</sup>, S. Ebrahimzadeh<sup>2</sup>, H. Dolati<sup>3</sup>, H. Shayeghi<sup>1,2</sup>

<sup>1</sup> Energy Management Research Center, University of Mohaghegh Ardabili, Ardabil, Iran

<sup>2</sup> Department of Electrical and Computer Engineering, University of Mohaghegh Ardabili, Ardabil, Iran

<sup>3</sup> Faculty of Electrical and Computer Engineering, University of Tabriz, Tabriz, Iran

**Abstract**— Switched capacitor multilevel inverters with low input DC voltage sources and voltage boost capability are very attractive to producing a high voltage levels in the output. The paper introduces a modified switched capacitor multilevel inverter with voltage boost capability. The suggested topology can be extended into symmetric and asymmetric configurations. Nearest-level modulation method is employed to generate high-quality output waveforms. The presented multilevel inverter is compared with the similar configurations by considering various criteria. Finally, to confirm the operation of the suggested topology, a laboratory scale of the suggested inverter is implemented and the results are given.

**Keywords**— Multilevel inverter, Switched-capacitor, Symmetric and asymmetric configurations, The nearest level modulation.

## 1. INTRODUCTION

Multilevel inverters, firstly introduced about four decades ago [1], have become highly reliable power electronic converters for a variety of power systems applications [2–4]. Inverters Multilevel topologies are employed in many applications for power electronics and power systems owing to their remarkable features such as harmonic reduction, voltage stress reduction on switches,  $dv/dt$  reduction, improved quality and high-efficiency [5]. Their applications include renewable energy resources, FACTS devices, traction drives, electric vehicles, etc. [6–9].

Many advances have been made in the last two decades regarding multilevel inverters. These advances have further emphasized reducing the count of switching elements and, more importantly, the count of DC sources [10, 11]. Conventional multilevel inverters are categorized in to three class: cascaded H-Bridge inverter or CHB [12], flying capacitor inverter or FC and neutral point clamp inverter or NPC. Each of these inverters has drawbacks that limit their applications. FC inverter needs an intricate control method to keep the capacitor voltage at the required level. This topology also has problems with balance and stability with changing types of load. NPC inverter has limited applications due to switch requirements at high voltage generation levels. In addition, FCs and NPCs only can generate three to five-level because of intricate techniques in balancing the capacitor voltage. CHB inverter is superior to FC and NPC due to features such as modularity, high reliability and better error management however, it needs a many isolated DC voltage sources to produce staircase output voltage [13–15].

Recently, many topologies have been introduced for decrease the number of devices in various authorities. As the number of

semiconductor devices decreases, the gate driver circuits, size, volume and overall price of the system decrease. DC sources have more weight, volume and price than the other components used in the multilevel inverters [16, 17]. Therefore, research on developing multilevel inverters to reduce isolated DC sources has attracted the attention of researchers. Capacitors are a suitable candidate to replace with DC sources, which introduced switched-capacitor (SC) multilevel inverters [18, 19]. SC inverters are applied in renewable energy resources because their generated voltage is low, so in high-voltage applications, it is required to increase the voltage level. Unlike traditional topologies lacking voltage boost capability, many of the recently suggested SC multilevel inverter topologies have voltage boost capability. Multilevel inverters with voltage boost capability are introduced in [20–22]. In [23], a seven-level topology of inverter with voltage boost capability in grid-connected mode is presented, which uses a single DC input source, two capacitors, and ten switches are employed to step up the input voltage. In [24], a five-level switched capacitor inverter topology with the ability to step up the voltage up to 2 times the input voltage is proposed. The suggested topology uses 8 switches, and one capacitor with a single DC voltage source to produce five-level output voltage. The disadvantage of this inverter is its high number of switching devices to generate five levels in the output. A seven-level switched capacitor multilevel inverter with a boost factor of 1.5, and capacitor voltage balancing ability is presented in [25], which uses a single DC source. The drawback of this topology is its low boost factor, similar to the structure presented in [26]. The proposed topology in [26] has merits such as maximum voltage stress of the switches is less than the input voltage, and it has a voltage boosting capability, which makes it suitable for high voltage applications. Another switched capacitor configuration has been presented in [27], which produces nine levels at the output while using 12 power switches with boost factor of 2.

In this paper, a modified topology of multilevel inverter based on switched-capacitor is proposed. The suggested topology with using the boost ability produce seven-level output voltage waveform with only one input DC source. In the introduced inverter, the number of levels in the output voltage can be increased with

Received: 13 Sep. 2022

Revised: 07 Nov. 2022

Accepted: 23 Dec. 2022

\* Corresponding author:

E-mail: farzad.sedaghati@gmail.com (F. Sedaghati)

DOI: 10.22098/joape.2023.11456.1854

Research Paper

©2023 University of Mohaghegh Ardabili. All rights reserved




Fig. 1. Configuration of proposed 7-level switched-capacitor inverter

expanding SC units with symmetric and asymmetric input sources. The nearest level modulation method is applied to generate pulses for the switches. The rest of the paper is organized as follows: the proposed 7-level SC inverter topology and its operation modes are described in section 2. In section 3, the extension of the proposed configuration is discussed. In section 4, calculations of capacitors size and power loss are analyzed. To confirm the operation of the introduced topology, experimental test results are presented in section 5. Finally, the paper concluded in section 6.

## 2. PROPOSED 7-LEVEL SWITCHED-CAPACITOR MULTILEVEL INVERTER

### 2.1. Configuration

Configuration of proposed seven-level switched capacitor inverter is given in Fig. 1. It includes ten switches named  $S_1$  to  $S_6$  and  $Q_1$  to  $Q_4$ , and two capacitors  $C_1$  and  $C_2$ . Capacitors are charged and discharged to generate required voltage levels. A single voltage source,  $V_{in}$ , is used as input DC source.

### 2.2. Operation Principle

To generate 3 positive voltage levels in the inverter output, three operation modes are recognized using the operation of switches  $S_1$  to  $S_6$ . The operation of H-bridge converter with switches  $Q_1$  to  $Q_4$  provides negative voltage levels beside the positive levels. In the following, proposed inverter operation modes are described.

**Mode 1:** When switches  $S_1$ ,  $S_3$ ,  $S_4$  and  $S_6$  are turned on while switches  $S_2$  and  $S_5$  are off, both capacitors  $C_1$  and  $C_2$  are charged to  $V_{in}$  utilizing the voltage source. As illustrated in Fig. 2(a), the output voltage equals the input voltage, i.e.,  $V_O = V_{in}$ .

**Mode 2:** When switches  $S_1$ ,  $S_3$  and  $S_5$  are turned on while switches  $S_2$ ,  $S_4$  and  $S_6$  are off, the capacitor  $C_2$  is still charging by the input voltage source. As shown in Fig. 2(b), the series connection of capacitor  $C_1$  and the input voltage source through the switch  $S_5$  doubles the output voltage more than the input voltage, i.e.,  $V_O = 2V_{in}$ .

**Mode 3:** When switches  $S_2$  and  $S_5$  are turned on while the other switches are off, both capacitors  $C_1$  and  $C_2$  are connected in series with the input voltage source to step up the output voltage three times the input voltage, i.e.,  $V_O = 3V_{in}$ . As illustrated in Table. 1, the inverter circuit operates in seven modes related to seven voltage levels, i.e.,  $0$ ,  $\pm V_{in}$ ,  $\pm 2V_{in}$ , and  $\pm 3V_{in}$ .

### 2.3. Modulation Algorithm

Various modulation techniques for multilevel inverters are presented in [28, 29]. To produce the required voltage levels, a suitable algorithm for switching of inverter should be used. The inverter output voltage must have all voltage levels with at least total harmonic distortion (THD). To achieve identical voltage steps,




Fig. 2. Operating modes of the suggested switched-capacitor unit; (a) Mode 1, (b) Mode 2, (c) Mode 3

Table 1. Relation of on-state switches and output voltages

On-state switches	Output voltage	Capacitor state
S <sub>2</sub> , S <sub>5</sub> , Q <sub>1</sub> , Q <sub>2</sub>	3V <sub>in</sub>	C <sub>1</sub> , C <sub>2</sub> ↓
S <sub>1</sub> , S <sub>3</sub> , S <sub>5</sub> , Q <sub>1</sub> , Q <sub>2</sub>	2V <sub>in</sub>	C <sub>1</sub> ↓
S <sub>1</sub> , S <sub>3</sub> , S <sub>4</sub> , S <sub>6</sub> , Q <sub>1</sub> , Q <sub>2</sub>	V <sub>in</sub>	C <sub>1</sub> , C <sub>2</sub> ↑
Q <sub>1</sub> , Q <sub>3</sub> or Q <sub>2</sub> , Q <sub>4</sub>	0	-
S <sub>1</sub> , S <sub>3</sub> , S <sub>4</sub> , S <sub>6</sub> , Q <sub>3</sub> , Q <sub>4</sub>	-V <sub>in</sub>	C <sub>1</sub> , C <sub>2</sub> ↑
S <sub>1</sub> , S <sub>3</sub> , S <sub>5</sub> , Q <sub>3</sub> , Q <sub>4</sub>	-2V <sub>in</sub>	C <sub>1</sub> ↓
S <sub>2</sub> , S <sub>5</sub> , Q <sub>3</sub> , Q <sub>4</sub>	-3V <sub>in</sub>	C <sub>1</sub> , C <sub>2</sub> ↓




Fig. 3. Staircase modulation

fundamental and harmonic components are determined as given in (1) [30].

$$H_n = \begin{cases} 0 & n = 2k \\ \frac{4E}{n\pi} \sum_{j=1}^s \cos(n\alpha_j) & n = 2k + 1 \end{cases} \quad (1)$$

Where  $E$  is the magnitude of the step waveforms,  $S$  is the number of voltage levels and  $\alpha_j$  is the optimized switching angles of harmonics. The angles  $\alpha_j$  are described by the coming equation:

$$\alpha_j = \sin^{-1}\left(\frac{j - .5}{S}\right) \quad j = 1, 2, \dots, S \quad (2)$$

THD of the output voltage is calculated as follows:

$$THD = \frac{\sqrt{\sum_{n=3,5}^{\infty} V_n^2}}{V_1} = \sqrt{\left(\frac{V_o}{V_1}\right)^2 - 1} \quad (3)$$

where

$$V_o = \frac{2\sqrt{2}E}{\pi} \sqrt{\sum_{n=1,3,5,\dots}^{\infty} \left(\sum_{j=1}^S \frac{\cos(n\alpha_j)}{n}\right)^2} \quad (4)$$

$$V_1 = \frac{2\sqrt{2}E}{\pi} \sum_{j=1}^S \cos \alpha_j \quad (5)$$

In (3)–(5),  $V_n$  and  $V_o$  are the RMS values of the  $h^{th}$  order component of the output voltage and  $V_1$  is the RMS value of the output voltage, respectively.

### 3. CIRCUIT ELEMENTS DESIGN

Determination of the capacitor size is essential to certify a lower ripple in the capacitor voltage. A large ripple in the capacitor voltage causes asymmetry in the output voltage levels. The maximum voltage ripple of the capacitor is X% of the charged capacitor voltage.

According to Fig. 2 and Fig. 3, capacitors C<sub>1</sub> and C<sub>2</sub> are parallel with the input voltage source and are charged in the time intervals [t<sub>1</sub>, t<sub>2</sub>] and [t<sub>1</sub>, t<sub>3</sub>]. The times t<sub>1</sub> to t<sub>6</sub> in Fig. 3 are determined as follow:

$$\begin{cases} t_i = \alpha_i/18000, & (i = 1, 2, 3) \\ t_j = \pi - \alpha_j/18000, & (j = 4, 5, 6) \end{cases} \quad (6)$$




Fig. 4. Efficiency of proposed seven-level inverter

As illustrated in Fig. 3, the capacitor C<sub>1</sub> is discharged during time interval [t<sub>2</sub>, t<sub>5</sub>]. The discharge time of the capacitor C<sub>2</sub> is from t<sub>3</sub> to t<sub>4</sub>, as shown in Fig. 3. Considering discharge time intervals of the capacitors, the capacitor's voltage ripples are approximated as follow:

$$\Delta V_{C_1} \simeq \left( \frac{1}{C_1} \int_{t_2}^{T/4} i_{C_1}(t) dt \right) \quad (7)$$

$$\Delta V_{C_2} \simeq \left( \frac{1}{C_2} \int_{t_3}^{T/4} i_{C_2}(t) dt \right) \quad (8)$$

Where  $\Delta V_{C_1}$  and  $\Delta V_{C_2}$  are the voltage ripple of capacitors C<sub>1</sub> and C<sub>2</sub> from t<sub>2</sub> to t<sub>5</sub>, and from t<sub>3</sub> to t<sub>4</sub>, respectively. Because the maximum voltage ripple is X% of charged capacitor, the capacitors size are determined as follow:

$$C_1 \geq \frac{1}{2V_{in}X\%} \int_{t_2}^{t_5} i_{C_1}(t) dt \quad (9)$$

$$C_2 \geq \frac{1}{2V_{in}X\%} \int_{t_3}^{t_4} i_{C_2}(t) dt \quad (10)$$

### 4. POWER LOSS ANALYSIS

The power loss analysis and efficiency of the proposed inverter are studied in this section. In general, the main losses of switched-capacitor inverters, are related to capacitor losses, so in the proposed converter, analysis of switching power loss is the same as the analysis in [31], while the capacitor power losses consist of ripple loss,  $P_{rip}$ , and conduction loss,  $P_{cond}$  are different. When capacitor C<sub>i</sub> connection changes from parallel to series, the ripple equals to difference of the input voltage,  $V_{in}$ , and the capacitor voltage,  $V_{ci}$ . The voltage ripple of capacitor C<sub>i</sub>,  $\Delta V_{rip}$  is given in (11).

$$\Delta V_{rip} = \frac{1}{C_i} \int_{t_-}^{t_+} i_{C_i} d(t) \quad (11)$$

where  $i_{C_i}$  is the capacitor C<sub>i</sub> transient current, discharging time during is indicated using t<sub>-</sub> to t<sub>+</sub>, so in mode 2, t<sub>2</sub> to t<sub>5</sub> time interval represents the discharge time of the capacitor C<sub>1</sub>. For capacitor C<sub>2</sub> in mode 3, t<sub>-</sub> and t<sub>+</sub> are t<sub>3</sub> and t<sub>4</sub>, respectively. The power loss of voltage ripple is equal to (12).

$$P_{rip} = \sum_{i=1}^k C_i \Delta V_{rip}^2 f_s \quad (12)$$




 Fig. 5. Extended topology of proposed multilevel inverter;  $N$ -level topology


Fig. 6. Extended topology of the suggested multilevel inverter; 17-level configuration




Fig. 7. Extended configuration of proposed multilevel inverter, 31-level configuration

Table 2. Switches state of specified output voltage level for 17-level configuration

On-state switches	Voltage level	Capacitor state
$S_2, S_5$	$8E$	$C_1, C_2 \downarrow$
$S_2, S_4, S_6$	$7E$	$C_2 \uparrow, C_1 \downarrow$
$S_2, S_d$	$6E$	$C_1 \downarrow$
$S_1, S_3, S_5$	$5E$	$C_1 \uparrow, C_2 \downarrow$
$S_1, S_3, S_4, S_6$	$4E$	$C_1, C_2 \uparrow$
$S_1, S_3, S_d$	$3E$	$C_1 \uparrow$
$S_5, S_c$	$2E$	$C_2 \downarrow$
$S_4, S_6, S_c$	$E$	$C_2 \uparrow$

where  $k$  denotes the count of switching capacitors, and  $f_s$  presents frequency of the output voltage. It's resultant that the ripple loss is directly related to the capacitor size. Also, the conduction loss is determined using (13).

$$P_{cond} = 2f_s \sum_{i=1}^k \int_{t_-}^{t_+} r_c i_{c_i}^2 dt \quad (13)$$

where  $r_c$  is equivalent series resistance (ESR) of the capacitor. A larger capacitor current increases the conduction loss. Finally, the total power loss of SCs is achieved as given in (14).

$$P_{sc} = P_{rip} + P_{cond} \quad (14)$$

From (12) and (13), it can be calculated that both ripple and conduction losses are related to frequency of the output voltage and the count of capacitors. Also, it's resultant that the larger size of capacitors improves the efficiency and lifetime of the capacitor. Yet, the larger size of capacitors increases the overall cost. So, a trade-off between efficiency and cost should be considered.

The efficiency of the proposed basic seven-level inverter at the power range of 200W to 900W is depicted in Fig. 4. This figure shows that the proposed inverter efficiency decreases with increasing in the output power due to the increase in power losses of the passive elements.


## 5. EXTENDED CONFIGURATION OF PROPOSED MULTILEVEL INVERTER

To achieve output voltage with a high number of levels, the proposed 7-level configuration can be expanded as given in Fig. 5. The introduced topology can be extended in series and parallel with connecting  $N_C$  number of capacitors  $C_1$  to  $C_n$  utilizing switches  $S_1$  to  $S_n$ . The required number of capacitors and switches for the generation of  $N$ -level voltage in the output are obtained as given in (15) and (16).


$$N_{sw} = \left( \frac{N-3}{2} \right) \times 3 \quad (15)$$



Fig. 8. Hardware setup



(a)



(b)


Fig. 9. Experimental test results; voltage and current waveforms of 17-Level inverters with (a)  $R$  Load, (b) Load  $R-L$

$$N_C = \left( \frac{N - 3}{2} \right) \quad (16)$$


Similar to traditional cascaded multilevel inverters, the suggested multilevel converter can be implemented in symmetric and asymmetric topologies. In asymmetric configuration, as shown in Fig. 6, i.e.,  $V_{in1} = E$  and  $V_{in2} = 3E$ . When two SC-based units operate together, 17 levels are generated in the output voltage. In another asymmetric configuration, as shown in Fig. 7, i.e.,  $V_{in1} = E$  and  $V_{in2} = 4E$ , so when two SC-based units operate together, 31 levels are generated in the output voltage.

### 5.1. 17-Level Topology of Proposed Inverter

As shown in Fig. 6, the 17-level configuration of proposed inverter consists of two SC-based units. Two unequal voltage



(a)



(b)

Fig. 10. Experimental test results; voltage waveforms of (a) Capacitor  $C_1$ , (b) Capacitor  $C_2$




Fig. 11. Experimental test results; generated gate pulses for 17-Level inverter switches


sources  $V_{in1}=E$ ,  $V_{in2}=3E$ ), two capacitors, and 12 switches are employed in this topology. In each of the switching states, by turning on or turning off the switches  $S_c$  and  $S_d$ , each of the SC-based units are connected in series and generate output voltage levels separately. Table 2 describes the switching states of the proposed configuration for positive half cycle. With operation of the H-Bridge unit, AC voltage is produced in the inverter output.

### 5.2. 31-Level Configuration of Proposed Inverter


The suggested 7-level configuration can be expanded to get a higher number of voltage levels with unequal input voltage sources. Fig. 7 shows the 31-level extended configuration. The 31-level configuration consists of two SC-based units with unequal

Table 3. Switches state and output voltage level of 31-level inverter

On-state switches	Output voltage	Capacitor state
S <sub>2</sub> , S <sub>5</sub> , S <sub>8</sub> , S <sub>11</sub>	15E	C <sub>1</sub> ↓, C <sub>2</sub> ↓, C <sub>3</sub> ↓, C <sub>4</sub> ↓
S <sub>2</sub> , S <sub>5</sub> , S <sub>7</sub> , S <sub>9</sub> , S <sub>11</sub>	14E	C <sub>1</sub> ↓, C <sub>2</sub> ↓, C <sub>3</sub> ↑, C <sub>4</sub> ↓
S <sub>2</sub> , S <sub>5</sub> , S <sub>7</sub> , S <sub>9</sub> , S <sub>10</sub> , S <sub>12</sub>	13E	C <sub>1</sub> ↓, C <sub>2</sub> ↓, C <sub>3</sub> ↑, C <sub>4</sub> ↑
S <sub>2</sub> , S <sub>5</sub> , S <sub>d</sub>	12E	C <sub>1</sub> ↓, C <sub>2</sub> ↓
S <sub>1</sub> , S <sub>3</sub> , S <sub>5</sub> , S <sub>8</sub> , S <sub>11</sub>	11E	C <sub>1</sub> ↑, C <sub>2</sub> ↓, C <sub>3</sub> ↓, C <sub>4</sub> ↓
S <sub>1</sub> , S <sub>3</sub> , S <sub>5</sub> , S <sub>7</sub> , S <sub>9</sub> , S <sub>11</sub>	10E	C <sub>1</sub> ↑, C <sub>2</sub> ↓, C <sub>3</sub> ↓, C <sub>4</sub> ↓
S <sub>1</sub> , S <sub>3</sub> , S <sub>5</sub> , S <sub>7</sub> , S <sub>9</sub> , S <sub>10</sub> , S <sub>12</sub>	9E	C <sub>1</sub> ↑, C <sub>2</sub> ↓, C <sub>3</sub> ↑, C <sub>4</sub> ↑
S <sub>1</sub> , S <sub>3</sub> , S <sub>5</sub> , S <sub>d</sub>	8E	C <sub>1</sub> ↑, C <sub>2</sub> ↓
S <sub>1</sub> , S <sub>3</sub> , S <sub>4</sub> , S <sub>6</sub> , S <sub>8</sub> , S <sub>11</sub>	7E	C <sub>1</sub> ↑, C <sub>2</sub> ↑, C <sub>3</sub> ↓, C <sub>4</sub> ↓
S <sub>1</sub> , S <sub>3</sub> , S <sub>4</sub> , S <sub>6</sub> , S <sub>7</sub> , S <sub>9</sub> , S <sub>11</sub>	6E	C <sub>1</sub> ↑, C <sub>2</sub> ↑, C <sub>3</sub> ↑, C <sub>4</sub> ↓
S <sub>1</sub> , S <sub>3</sub> , S <sub>4</sub> , S <sub>6</sub> , S <sub>7</sub> , S <sub>9</sub> , S <sub>10</sub> , S <sub>12</sub>	5E	C <sub>1</sub> ↑, C <sub>2</sub> ↑, C <sub>3</sub> ↑, C <sub>4</sub> ↑
S <sub>1</sub> , S <sub>3</sub> , S <sub>4</sub> , S <sub>6</sub> , S <sub>d</sub>	4E	C <sub>1</sub> ↓, C <sub>2</sub> ↓
S <sub>8</sub> , S <sub>11</sub> , S <sub>c</sub>	3E	C <sub>3</sub> ↓, C <sub>4</sub> ↓
S <sub>7</sub> , S <sub>9</sub> , S <sub>11</sub> , S <sub>c</sub>	2E	C <sub>3</sub> ↑, C <sub>4</sub> ↓
S <sub>7</sub> , S <sub>9</sub> , S <sub>10</sub> , S <sub>12</sub> , S <sub>c</sub>	E	C <sub>3</sub> ↑, C <sub>4</sub> ↑



(a)



(b)

Fig. 12. Experimental test results; voltage and current waveforms of 31-Level inverters results (a) *R* Load, (b) *R-L* load

voltage sources that  $V_{in1}$ ,  $V_{in2}$  are equals  $E$  and  $4E$ , respectively. The proposed topology needs two unequal voltage sources, four capacitors, and 18 switches. The charging and discharging states of capacitors and switching states for different output voltage levels in the positive half cycle are given in Table 3. The output AC voltage waveform is obtained with the operating of the H-bridge converter.

## 6. COMPARISON STUDY

To evaluate merits of the proposed multilevel inverter, it is compared with the recently proposed SC-based single DC source multilevel inverter structures. The considered SC multilevel inverters for the comparison with the proposed multilevel inverter has the following characteristics: 1) Use a single DC input voltage

Table 4. Comparison summary of various single DC source SC multilevel inverter topologies

	$N_L$	$N_{sw}$	$N_c$	$N_{gd}$	$TSV_{(P,U)}$	$B$
[24]	7	10	3	8	5.3	1.5
[19]	7	9	3	8	5.3	1.5
[20]	7	9	3	9	5.3	1.5
[32]	7	10	3	9	6	1.5
[33]	7	9	3	8	5.67	1.5
[21]	7	10	4	8	7.3	1.5
[34]	7	11	2	11	5.67	3
[35]	7	12	2	12	5.3	3
[36]	7	16	2	14	5.3	3
Proposed topology	7	10	2	10	4.33	3

Table 5. Table 5 Prototype circuit elements values

Parameter	value
17-level Input DC sources	$V_{in1}=25$ , $V_{in2}=75$
31-level Input DC sources	$V_{in1}=15$ , $V_{in2}=60$
MOSFETs	IRFP260n
Output frequency	$f_o=50$ Hz
Opto-coupler	TLP250
Capacitances	$C_1=C_2=C_3=C_4=4700$ f
Load	$R=100\Omega$ , $L=50$ mH
Microcontroller	Atmega8a

source

2) Capacitor voltage equality with the input voltage source To certify the features of the proposed SC multilevel inverter, the basic 7-level configuration is compared with the newly presented topologies from various aspects in Table 4. The number of output voltage levels,  $N_L$ , number of switches,  $N_{sw}$ , number of capacitors,  $N_c$ , number of gate drivers,  $N_{gd}$ , total voltage stress of switches (TSV), and output voltage boost factor ( $B$ ) are the comparison items. The comparison results indicate that the introduced inverter in [21] uses four capacitors, and the proposed inverters in [19, 20] and [33, 34] use three capacitors to produce a 7-level output voltage while the proposed inverter uses only two capacitors. The number of switches applied in the proposed 7-level inverter is 10 while the given inverters in [34–36] require 11, 12, and 16 switches, respectively. It's concluded that the suggested topology, in addition to produce higher or equal voltage gain, imposes lower total voltage stress on the semiconductor elements.


## 7. EXPERIMENTAL TEST MEASUREMENTS

To confirm operation of the introduced multilevel inverter, laboratory test results of 17-level and 31-level topologies, implemented in the laboratory scale, are presented in this section. To generate switching pulses, the nearest level modulation strategy utilizing Atmega8a microcontroller is applied. The values of the elements used in the implemented configurations are listed in Table 5 and also, the implemented prototype used for testing the suggested multilevel inverter in 200W is illustrated in Fig. 8.


Fig. 9 shows voltage and current waveforms of 17-level structure for resistive (*R*) and resistive-inductive load (*R-L*). It is clear that the number of output voltage steps is 17, validating the 17-level operation. As shown in fig. 9(b), according to the resistive-inductive load, the current waveform is almost sinusoidal and has a phase difference with the voltage waveform.

The voltage waveforms of capacitors  $C_1$  and  $C_2$  are given in Fig. 10. According to this figure, the capacitors are charged to the input DC voltage. Also, the results show that the capacitor voltage ripples are in the admissible range.

The gate pulses generated from NLC control method for switches  $S_1 \sim S_6$ ,  $S_c$  and  $S_d$ ,  $Q_1$  and  $Q_4$  in two switching cycles are shown



(a)



(b)

Fig. 13. Experimental test results; capacitors voltage of 31-level configuration (a)  $C_1$  &  $C_2$ , (b)  $C_3$  &  $C_4$




Fig. 14. Experimental test results; generated gate pulses for switches of 31-Level inverter

in Fig. 11.

As given in Fig. 4, when two units of 7-level configuration are connected in series with asymmetric input sources, the 31-level configuration is created. Fig. 12 illustrates experimental test results of the output voltage and current waveforms for  $R$  and  $R-L$  loads of the 31-level configuration. It is clear that by increasing the number of output levels to 31, the voltage and current waveforms become closer to sinusoidal waveforms.

The voltage waveforms of capacitors  $C_1 \sim C_4$  are shown in Fig. 13, which indicates that the capacitors are charged to input DC voltage sources and have very low ripples.

Fig. 14 shows the waveforms of the gate pulses generated for switches of 31-Level configuration.

## 8. CONCLUSION

A novel multilevel inverter based on switched-capacitor configuration with boosting ability is introduced in this research. The presented converter can produce 7 levels in the output voltage utilizing only a single DC input voltage source with boost factor of 3. The nearest level modulation method is applied to generate pulses for the switches. The extended topologies of the introduced SC multilevel inverter in symmetric and asymmetric topologies are presented which produce 17-level and 31-level voltage waveforms. A comparison between the introduced multilevel inverter and similar structures is given to show superiorities of the proposed multilevel inverter. Eventually, a laboratory scale setup of the suggested inverter was implemented and tested to confirm its performance.

## REFERENCES

- [1] A. Nabae, I. Takahashi, and H. Akagi, "A new neutral-point-clamped PWM inverter," *IEEE Trans. Ind. Appl.*, Vol. 5, pp. 518–523, 1981.
- [2] P.K. Chamarthi, A. Al-Durra, T.H. EL-Fouly, and K. Al Jaafari, "A novel three-phase transformerless cascaded multilevel inverter topology for grid-connected solar PV applications," *IEEE Trans. Ind. Appl.*, Vol. 57, No. 3, pp. 2285–2297, 2021.
- [3] A. Isazadeh, J. Adabi, M. Rezanejad, and M.E. Adabi, "Operation and control of a grid-connected asymmetrical cascaded multilevel inverter," *IEEE J. Emerging Sel. Top. Power Electron.*, Vol. 9, No. 2, pp. 1614–1623, 2020.
- [4] N. Panda, B. Das, A. Chakrabarti, P.R. Kasari, A. Bhattacharya, and D. Chatterjee, "A new grid interactive 11-level hybrid inverter topology for medium-voltage application," *IEEE Trans. Ind. Appl.*, Vol. 57, No. 1, pp. 869–881, 2020.
- [5] P.R. Bana, K.P. Panda, R.T. Naayagi, P. Siano, and G. Panda, "Recently developed reduced switch multilevel inverter for renewable energy integration and drives application: topologies, comprehensive analysis and comparative evaluation," *IEEE Access*, Vol. 7, pp. 54888–54909, 2019.
- [6] M.H. Mondol, M.R. Tür, S.P. Biswas, M.K. Hosain, S. Shuvo, and E. Hossain, "Compact three phase multilevel inverter for low and medium power photovoltaic systems," *IEEE Access*, Vol. 8, pp. 60824–60837, 2020.
- [7] V.F. Pires, A. Cordeiro, D. Foito, and J.F. Silva, "A multilevel converter topology for a STATCOM system based on four-leg two-level inverters and cascaded scott transformers," *IEEE Trans. Power Delivery*, Vol. 37, No. 3, pp. 1391–1402, 2021.
- [8] J. Dixon, Pereda, C. Castillo, and S. Bosch, "Asymmetrical multilevel inverter for traction drives using only one DC supply," *IEEE Trans. Veh. Technol.*, Vol. 59, No. 8, pp. 3736–3743, 2010.
- [9] Y. Zhang, G. Chen, Y. Hu, C. Gong, and Y. Wang, "Cascaded multilevel inverter based power and signal multiplex transmission for electric vehicles," *CES Trans. Electr. Mach. Syst.*, Vol. 4, No. 2, pp. 123–129, 2020.
- [10] F. Sedaghati, and S.H.L. Majareh, "A multilevel inverter based on cascade connection of submultilevel units with reduced switch count," *Int. J. Circuit Theory Appl.*, Vol. 47, No. 7, pp. 1152–1172, 2019.
- [11] V. Nair, R.S. Kaarthik, A. Kshirsagar, and K. Gopakumar, "Generation of higher number of voltage levels by stacking inverters of lower multilevel structures with low voltage devices for drives," *IEEE Trans. Power Electron.*, Vol. 32, No. 1, pp. 52–59, 2016.
- [12] T. Qanbari, Tousi, M. Farhadi-Kangarlu, "A novel Vector-based pulse-width modulation for cascaded H-bridge multilevel Inverters," *J. Oper. Autom. Power Eng.*, Vol. 11, No. 2, pp. 113–122, 2023.

- [13] M. Saeedian, S.M. Hosseini, and J. Adabi, "Step-up switched-capacitor module for cascaded MLI topologies," *IET Power Electron.*, Vol. 11, No. 7, pp. 1286–1296, 2018.
- [14] J. Rodriguez, J.S. Lai, and F.Z. Peng, "Multilevel inverters: a survey of topologies, controls, and applications," *IEEE Trans. Ind. Electron.*, Vol. 49, No. 4, pp. 724–738, 2002.
- [15] M.D. Siddique, S. Mekhilef, A. Sarwar, A. Alam, and N. Mohamed Shah, "Dual asymmetrical dc voltage source based switched capacitor boost multilevel inverter topology," *IET Power Electron.*, Vol. 13, No. 7, pp. 1481–1486, 2020.
- [16] S. Kakar, S.B.M. Ayob, A. Iqbal, N.M. Nordin, M.S.B. Arif, and S. Gore, "New asymmetrical modular multilevel inverter topology with reduced number of switches," *IEEE Access*, Vol. 9, pp. 27627–27637, 2021.
- [17] S.H. Latifi Majareh, F. Sedaghati, M. Hosseinpour, and S.R. Mousavi-Aghdam, "Design, analysis and implementation of a generalised topology for multilevel inverters with reduced circuit devices," *IET Power Electron.*, Vol. 12, No. 14, pp. 3724–3731, 2019.
- [18] T. Roy, and P.K. Sadhu, "A step-up multilevel inverter topology using novel switched capacitor converters with reduced components," *IEEE Trans. Ind. Electron.*, Vol. 68, No. 1, pp. 236–247, 2020.
- [19] S.S. Lee, C.S. Lim, Y.P. Siwakoti, and K.B. Lee, "Hybrid 7-level boost active-neutral-point-clamped (H-7L-BANPC) inverter," *IEEE Trans. Circuits Syst. II Express Briefs*, Vol. 67, No. 10, pp. 2044–2048, 2019.
- [20] J. Zeng, W. Lin, and J. Liu, "Switched-capacitor-based active-neutral-point-clamped seven-level inverter with natural balance and boost ability," *IEEE Access*, Vol. 7, pp. 126889–126896, 2019.
- [21] S.S. Lee, and K.B. Lee, "Dual-T-type seven-level boost active-neutral-point-clamped inverter," *IEEE Trans. Power Electron.*, Vol. 34, No. 7, pp. 6031–6035, 2019.
- [22] T. Ajaykumar, and N.R. Patne, "Switched-Capacitor-Based Neutral-Point-Clamped Quasi-Switched Boost Multilevel Inverter," *Arabian J. Sci. Eng.*, Vol. 45, No. 3, pp. 1765–1775, 2020.
- [23] Y. Gao, W. Zhang, Y. Naderi Zarnaghi, N. Vosoughi Kurdkandi, and C. Zhang, "A new boost switched capacitor seven-level grid-tied inverter," *IET Power Electron.*, Vol. 14, No. 2, pp. 268–279, 2021.
- [24] O. Abdel-Rahim, and H. Wang, "Five-level one-capacitor boost multilevel inverter," *IET Power Electron.*, Vol. 13, No. 11, pp. 2245–2251, 2020.
- [25] J. Liu, X. Zhu, and J. Zeng, "A seven-level inverter with self-balancing and low-voltage stress," *IEEE J. Emerg. Sel. Topics Power Electron.*, vol. 8, no. 1, pp. 685696, 2020.
- [26] Y. Wang, Y. Yuan, G. Li, Y. Ye, K. Wang and J. Liang, "A T-Type Switched-Capacitor Multilevel Inverter with Low Voltage Stress and Self-Balancing," *IEEE Trans. Circuits Syst. I Regul. Pap.*, vol. 68, no. 5, pp. 2257–2270, 2021.
- [27] S. S. Lee, "Single-stage switched-capacitor module (S3CM) topology for cascaded multilevel inverter," *IEEE Trans. Power Electron.*, vol. 33, no. 10, pp. 8204–8207, 2020.
- [28] T. Qanbari, B. Tousi, M. Farhadi-Kangarlu, "A Novel Vector-Based Pulse-Width Modulation for Three-Phase Two-Level Voltage Source Inverters," *J. Oper. Autom. Power Eng.*, Vol. 11, No. 1, pp. 50–60, 2023.
- [29] S. Vedith, J.N. Bhanu Tej, S. Sampath, M. Usha Sree, P. Nithin Rao, and K. Neelima, "Review on Pulse Width Modulation and Optimization Techniques for Multilevel Inverters," *Int. Conf. Artificial Intelli. Sust. Eng.*, pp. 235–249, 2022.
- [30] S.H. Hosseini, and E. Babaei, "October. A novel modulation method for dc/ac matrix converters under distorted dc supply voltage," *IEEE Region 10 Conf. Computers Communi. Cont. Power Eng., TENCOM'02 Proce.*, Vol. 3, pp. 1970–1973, 2002.
- [31] A. Ajami, M. Mahmoudi, E. Seyfi and F. Atashbahar, "Oct A New Topology for UPQC Based on Reduced-Switch-Count Converter," *Gazi University J. Scie.*, vol. 28, no. 3, pp. 405–418, 2015.
- [32] M.J. Sathik, N. Sandeep, and F. Blaabjerg, "High gain active neutral point clamped seven-level self-voltage balancing inverter," *IEEE Trans. Circuits Syst. II Express Briefs*, Vol. 67, No. 11, pp. 2567–2571, 2019.
- [33] J. Liu, J. Wu, and J. Zeng, "Symmetric/asymmetric hybrid multilevel inverters integrating switched-capacitor techniques," *IEEE J. Emerging Sel. Top. Power Electron.*, Vol. 6, No. 3, pp. 1616–1626, 2018.
- [34] M.D. Siddique, S. Mekhilef, S. Padmanaban, M.A. Memon, and C. Kumar, "Single-phase step-up switched-capacitor-based multilevel inverter topology with SHEPWM," *IEEE Trans. Ind. App.*, Vol. 57, No. 3, pp. 3107–3119, 2020.
- [35] S. Majumdar, B. Mahato, and K.C. Jana, "Analysis and implementation of a generalised switched-capacitor multilevel inverter having the lower total standing voltage," *IET Power Electron.*, Vol. 13, No. 17, pp. 4031–4042, 2020.
- [36] X. Sun, B. Wang, Y. Zhou, W. Wang, H. Du, and Z. Lu, "A single DC source cascaded seven-level inverter integrating switched-capacitor techniques," *IEEE Tran. Ind. Electron.*, Vol. 63, No. 11, pp. 7184–7194, 2016.